



Requisition Pack contains:

Patient and Healthcare Provider Instructions ClarityDX Prostate® Requisition Form APL Third Party Requisition Form

PATIENT INSTRUCTIONS

- 1. Print the ClarityDX Prostate Requisition Form and the Alberta Precision Laboratories (APL) Third Party Requisition Form.
- 2. Bring both printed requisition forms to your healthcare provider for them to complete.
- 3. Book an appointment at an APL sample collection site online at https://qme.albertaprecisionlabs.ca/ or phone the Customer Call Centre at 877-702-4486.
- 4. Take the completed requisition forms and either the online payment receipt or the completed Payment Authorization form if purchasing offline, with you to your appointment at the APL sample collection site.
- 5. The test results will be sent to your healthcare provider within five (5) business days.
- 6. Reach out to your healthcare provider to discuss the results of your test.

NOTE: You may be eligible for reimbursement through your employer's health spending account.

CHECKLIST FOR HEALTHCARE PROVIDERS

- 1. Complete the patient information, physician information, and clinical information sections of the ClarityDX Prostate Requisition Form.
- 2. Fill out the Patient and Provider sections of the APL Third Party Requisition Form.

NOTE: Patient fasting is not required before the ClarityDX Prostate test.



ClarityDX Prostate® Requisition Form

Scanning Label or Accession # (lab only)	

Nanostics 1-800-672-2027

** TEST ELIGIBILITY: Patient must not have been previously diagnosed with prostate cancer and have not taken high-dose biotin therapy (>5 mg/day) within 8 hours of serum collection**

Complete the sections below with the healthcare provider. Choose only one check box where applicable. PATIENT INFORMATION **HEALTHCARE PROVIDER INFORMATION** Legal first name Legal first name Legal last name Legal last name Patient ID (e.g., PHN) **Physician ID** Street address Date of birth (e.g., 2024-Jan-01) City/Town **Province** □ Male □ Female □ Prefer not to Disclose Gender **Postal Code Postal Code** Phone number **Phone Number Fax Number CLINICAL INFORMATION** Did the patient have a digital rectal exam (DRE) within 6 months? Ordering Date ☐ Yes ☐ No (e.g., 2024-Jan-01) If yes, what is the □ Normal ClarityDX Prostate patient reports are only sent to the ordering result of the DRE? ☐ Abnormal (asymmetry, induration, nodules) healthcare provider. Forwarding patient reports to other healthcare **Is prostate volume and PI-RADS known from MRI?** ☐ Yes ☐ No providers is the responsibility of the ordering healthcare provider. If yes, a) What is the prostate volume? Please indicate if the healthcare provider would like to receive the report through secure email: b) What is the PI-RADS score (0 to 5)? _____ ☐ Yes ☐ No If yes, please provide an email address: Did the patient ever have a prostate biopsy? \square Yes \square No If yes, what is the □ Negative result of the ☐ Positive biopsy? (ineligible for ClarityDX Prostate Test) Take this completed form plus the completed Third (3rd) Party ClarityDX Prostate requisition form to an appropriate blood collection site for the

Take this completed form plus the completed Third (3rd) Party ClarityDX Prostate requisition form to an appropriate blood collection site for the ClarityDX Prostate test. Send the collected serum sample in an SST™ tube and this completed requisition form to Nanostics Clinical Laboratory which performs the ClarityDX Prostate test.

Complete the section below at the blood collection site. Serum collection instructions in 3rd Party ClarityDX Prostate Req. Form	Complete the section below at the clinical laboratory performing the ClarityDX Prostate test.
SERUM COLLECTION INFORMATION	LABORATORY COLLECTION INFORMATION
Collection date (e.g., 2024-Jan-01)	Received date (e.g., 2024-Jan-01)
Collection time (24-hr)	Received time (24-hr)

ADDITIONAL INFORMATION

Test Overview

ClarityDX Prostate is a laboratory-developed test developed by Nanostics that combines the lab results of two biomarkers (total PSA and free PSA) and at most five clinical features (age, previous negative prostate biopsy status, digital rectal exam findings, prostate volume, and PIRADS) to calculate the risk of having clinically significant prostate cancer, defined as Gleason Grade Group 2 or higher, on prostate biopsy. This risk probability is provided as a Risk Score which ranges between 0.1% to 99.9%. ClarityDX Prostate is a minimally invasive test indicated for use by healthcare providers as an additional tool to aid in the decision for more advanced procedures such as diagnostic imaging or prostate biopsy.

Test Eligibility

Patients have not been previously diagnosed with prostate cancer and have elevated PSA levels. Patients are not on high-dose biotin therapy (i.e., > 5 mg/day). If the patient is taking high-dose biotin therapy, wait at least 8 hours from the last biotin administration before going to the blood collection site for this test.

Test Performance

Performance characteristics and Risk Score thresholds for each of the four ClarityDX Prostate models are displayed in the following table:

Predictive Model Name	ROC AUC	Threshold	Sensitivity	Specificity
ClarityDX Prostate + MRI + DRE	0.87	≥17	95	47
ClarityDX Prostate + MRI	0.87	≥17	95	45
ClarityDX Prostate + DRE	0.82	≥25	95	35
ClarityDX Prostate	0.80	≥25	95	32

Test Limitations

While the ClarityDX Prostate test is more accurate compared to PCPTRC and PBCG risk calculators for predicting clinically significant prostate cancer, the test may still provide false positive and false negative test results. The instruments used to acquire total PSA and free PSA may be sensitive to high biotin concentrations in the blood (>30 ng/mL) thus patients taking large amounts of biotin supplements may have inaccurate test results. Test accuracy may be influenced by PSA-altering drugs such as 5-alpha reductase inhibitors.

The performance characteristics of ClarityDX Prostate were determined by Nanostics in a population primarily between 40 to 75 years of age with PSA ≥ 3 ng/mL. Extensive evaluation of this test outside of these ages and PSA values has not been performed by Nanostics. Total PSA and free PSA tests are indicated for men ≥ 50 years of age; caution is required when interpreting individual total PSA and free PSA results in patients below 50 years of age. Patient management should be based on holistic clinical judgment. This test has not been cleared or approved by the U.S. Food and Drug Administration (FDA) or Health Canada.

Sample Handling

Collected blood samples will be separated into serum which will be used to perform total PSA and free PSA tests and the results are used for the ClarityDX Prostate test. No other tests will be performed with the patient's serum samples other than those authorized by the patient's healthcare provider. Nanostics may use a referral laboratory to perform the total PSA and free PSA tests. The referral laboratory will be evaluated for quality using Nanostics' supplier approval process to ensure test results can be trusted. Referral laboratories will be located in Canada to ensure that samples do not cross international borders.

Information Handling

Patient and physician information collected for the ClarityDX Prostate test will only be used to generate and evaluate ClarityDX Prostate test results. Information will not be provided to other parties without the consent of patients and physicians. All collected data for ClarityDX Prostate tests will reside within Canada. Nanostics' privacy policy may be accessed from Nanostics website (www.nanosticsdx.com) or by contacting Nanostics at info@nanosticsdx.com.

Test Result Disclosure

ClarityDX Prostate patient reports are only sent to the ordering healthcare provider. Forwarding patient reports to other physicians or patients is the responsibility of the ordering physician. Test results will be available within 10 business days.

Patient consent

By completing and submitting this ClarityDX Prostate requisition form to a blood collection site, the patient is providing implied consent that they understand the information on this requisition form and allow Nanostics to perform the ClarityDX Prostate test on their data.

Questions or Complaints?

Please contact Nanostics by phone at 1-800-672-2027 at extension 1 or by email at info@nanosticsdx.com during Clinical Laboratory hours of operation which are Monday to Friday from 9 a.m. to 5 p.m. Mountain Time.



APL THIRD PARTY REQUISITION

Appointment Booking: online at www.albertaprecisionlabs.ca or 1-877-702-4486 Locations and Hours of Operation: www.albertaprecisionlabs.ca

Non-Participating Submitter - Use 'Reg Entry'

Leaders in Laboratory Medicine

	14011-1 articipating oubl	initier - Ose rieq	Lifti y							
Patient	PHN / Healthcare Number		Date of Birth (dd-Mon-yyyy)		1					
	Expiry:									
	Legal Last Name		Legal First Name		Middle	Middle Name				
	Alternate Identifier	ate Identifier □ Male □ Fe □ Non-Binary □ Pro				Addre	Address			
	City / Town			Province	Post	tal Code		Chart Number ClarityDX Prostate Kit		
Provider	Submitter ID	Submitter					F	Phone		
	19967	Nanostics Inc.					1	1-800-672-2027		
	Provider ID	Authorizing Provider Name					Е	Bill Type		
Pre	12300005	Lab Billing Provider				(Client Bill			
	Collection	Date (dd-Mon-yy	туу)	Time (24 hr)		Location	C	follector ID / Initials	Fasting Hours	

PHYSICIAN INFORMATION

- 1. Ensure patient has not been previously diagnosed with prostate cancer.
- 2. Complete the *Patient* section on this requisition and the *patient*, *physician* and *clinical information* on the Nanostics ClarityDX Prostate requisition.
- 3. Provide the patient with this Requisition, the ClarityDX Prostate Requisition Form and the Payment Authorization form.
- 4. Ensure the patient is familiar with the section below.

PATIENT INFORMATION

APPOINTMENT CRITERIA Collections are **Monday thru Friday only** (excluding statutory holidays).

- 1. Appointments MUST be booked by phoning the Customer Call Centre at 780-702-4486. Ensure your appointment meets the above bolded criteria.
- 2. Bring the APL Third requisition, the ClarityDX Prostate requisition and Payment Authorization form to your laboratory appointment 3 documents.

APL LAB STAFF INSTRUCTIONS

SPECIAL NOTES

 Collect patient only if they have a Nanostics Payment Authorization form - Use your site's supplies for collection.

DATA ENTRY

Number	Procedure Description		
LAB71878	Third Party Collection Fee		
LAB71885	Third Party Processing Fee		

COLLECTION / PROCESSING

- 1. Do not proceed with collection unless the patient has a Nanostics Payment Authorization form, proof of payment or a certified cheque.
- 2. Verify the expiration date on the SST tube before proceeding with collection.
- 3. Record the date and time of collection on both this requisition and the ClarityDX Prostate requisition.
- 4. Collect 1 X 5mL SST Gold Top tube and ensure tube is filled to capacity. Centrifuge sample and pour off the serum equally into two 10mL transport vials.
- 5. Print the Requisition label x 4. Apply one label to each requisition and to each transport vial.

SHIPPING

- 1. Place the **two transport vials** into a specimen back with both the **ClarityDX Prostate Requisition Form** and **Payment Authorization Form** in the front pouch.
- 2. Store sample UPRIGHT in your freezer until the next scheduled courier run to Base Lab.
- 3. Send the APL Third Party requisition to Base Lab for scanning using your regular Company billing process.
- ? Questions regarding collection / handling should be directed to Nanostics at 1-800-672-2027.

PRE & POST ANALYTICS EDMONTON STAFF INSTRUCTIONS

1. Store samples in the -20°C freezer until delivery to Nanostics lab.

Scanning Label or Accession # (lab only)